
CRIZAL® PRODUCT GUIDE



Crizal_®



Crizal® combines various layers and technologies for the best combinations of clarity, durability, and protection.





Image represents the Crizal® Sapphire™ HR No-Glare treatment stack. Thickness and order of layers is for demonstration purposes only.

(2) E-SPF® is an index rating the overall UV protection of a lens. E-SPF was developed by Essilor International and endorsed by third party experts The E-SPF index relates to lens performance only and excludes direct eye exposure that depends on external factors (wearer's morphology, frame shape, position of wear). *Except for Orma®: E-SPF 10 index.

⁽¹⁾ Number of layers for illustration purpose.

AN INVISIBLE SHIELD OF PROTECTION⁽⁵⁾



⁽³⁾ Protection defined by resistance to glare, scratching, smudging, and comprehensive UV protection on all lens materials except 1.50 clear plastic. (Internal R&D measurements - 2020 - Except clear 1.50 index). (4) Blue-violet light is between 400–455nm as stated by ISO 20772:2018.

WHY CRIZAL®

Easy to present to all patients

All *Crizal* coatings are available on a variety of lens designs and materials, and is covered by major managed vision care plans.

Focus on excellence

Each *Crizal* innovation is the result of a thorough R&D process, allowing us to deliver high quality lenses.

Patient satisfaction

All lenses with *Crizal* coating are backed by a strong 2-year warranty.⁽⁵⁾

(5) Lenses are guaranteed for up to two years from original order date from product failure resulting in atypical scratching or crazing from normal use.



With Crizal®, patients also get a two-year warranty with up to two replacements in two years. (6)

TECHNOLOGY

WEARER BENEFIT

cital cital cital cital cital total

		/	/	/	/	/ -
Multi-Angular Technology™	Improved Glare Reduction: 99% of light let through the lens / 30% less side reflections (7) & 20% less front reflections (7)	•				
Anti-Reflective Layers	Glare Reduction: 98% of light let through the lens	•	•	•	•	•
High-Resistance Technology™	Improved Scratch Resistance: 3x more scratch resistant than it's predecessors ⁽⁸⁾	•		•		
Anti-Particulate Layer	Particulates, Dust, and Dirt Repellence: Keeps lenses cleaner longer	•	•	•	•	
High Surface Density™ Super Hydrophobic Topcoat	Improved Smudge Resistance: Makes lenses easier to clean	•	•	•	•	•
Pad Control System™	Keeps lenses safe during edging & mounting process: Prevents slipping due to HSD layer and is removed before lens delivery	•	•	•	•	•
Double-Sided Integrated Hardcoat	Impact & Scratch Resistance: Protects the lens investment	•	•	•	•	•
Blue-Violet Light ⁽⁹⁾ Filtration Layer	Selective light filtering to preserve natural well-being. Provides full UV protection and blue-violet light filtering (9)		•			
E-SPF® 35 Technology (Eye-Sun Protection Factor)	Optimal UV Protection: (10) 35x more UV protection than going without eyewear	•	•	•	•	•



⁽⁶⁾ Lenses are quarenteed for up to two year from original order date for any product failure resulting in atypical scratching or crazing from normal use.

⁽⁷⁾ As compared to Crizal Rock, depending on the lens configuration (index, hard coat, etc) and incident angle.

⁽⁸⁾ Internal Sand Resistance test 2019 - compared to all previous generations of Crizal coatings.

⁽⁹⁾ Blue-violet light is between 400 and 455nm as stated by ISO TR 20772:2018.

⁽¹⁰⁾ *E-SPF* is an index rating the overall UV protection of a lens. *E-SPF* was developed by Essilor International and endorsed by third party experts. The *E-SPF* index relates to the lens performance only and excludes direct eye exposure that depends on external factors (wearer's morphology, frame shape, position of wear). *Except for Orma: E-SPF 10 index.